


EXTENSION DETAILS

TERMINAL BOX DETAILS



NAME PLATE DETAILS (IS12615:2018)

Marking	CE
Frame	LE 132S
Duty	S1
Class of Insulation	F
Frequency, Hz	50±5%
Pole	4
Connection	DELTA
Output in KW	5.5
Voltage in Volts	415±10%
F.L.Current in Amps	11.4
Speed in RPM	1420
% Efficiency	87.7(IE2)
Brg.(DE)	6208 ZZC3
Brg.(NDE)	6207 ZZC3
Power Factor	0.78
Protection	IP55

ALL DIMENSIONS ARE IN mm

LINEAR DIMENSIONS (MACHINING)	GENERAL TOLERANCES				
	ABOVE	0	30	100	300
	UPTO	30	100	300	1000
TOL	±0.2	±0.3	±0.5	±0.8	

ANGLES	± 1/2'
--------	--------

DCR. NO	ZONE	ALTERATIONS	SIGN/ DATE	WEIGHT IN kg.	ROUGH FINISHED	RAW MATERIAL CODE

PREPARED	H.H	04-12-2023
CHECKED	V.B	04-12-2023
APPROVED	R.R	04-12-2023
SCALE	NTS	
QUANTITY	1 No	
MATERIAL		

LAKSHMI ELECTRICAL DRIVES LIMITED
COIMBATORE - 641 004

G.A DRAWING
5.5 kW, 4 POLE, IE2

MODEL LE 132S DRG.No. LE13243001 REV. NO 00