


TERMINAL BOX DETAILS



ALL DIMENSIONS ARE IN mm

GENERAL TOLERANCES

LINEAR DIMENSIONS (MACHINING)	GENERAL TOLERANCES				
	ABOVE 0	30	100	300	1000
UP TO	30	100	300	1000	
TOL	±0.2	±0.3	±0.5	±0.8	

ANGLES ± 1/2°

PREPARED: K.SP, 17-06-2024

CHECKED: ASP, 17-06-2024

APPROVED: K.K.N, 17-06-2024

SCALE: NTS

QUANTITY: 1 No

MATERIAL: -

WEIGHT IN Kg. ROUGH FINISHED

SIGN/DATE: ALTERATIONS

NAME PLATE DETAILS (S12615:2018)

Marking	CE
Frame	LE 63
Duty	S1
Class of Insulation	F
Frequency, Hz	50±5%
Pole	2
Connection	STAR
Output in kW	0.18
Voltage in Volts	415±10%
F.L.Current in Amps	0.84
Speed in RPM	2750
% Efficiency	65.9(IE3)
Brg.(DE)	6202 2RS C3
Brg.(NDE)	6202 2RS C3
Power Factor	0.6
Protection	IP55

LAKSHMI ELECTRICAL DRIVES PRIVATE LIMITED

COMBATORRE - 641 004

G.A DRAWING

0.18KW, 2 POLE, IE3

MODEL: LE 63

DRG.No: LEH06325001

REV. NO. 00