


TERMINAL BOX DETAILS



ALL DIMENSIONS ARE IN mm

GENERAL TOLERANCES

LINEAR DIMENSIONS (MACHINING)	GENERAL TOLERANCES				
	ABOVE	0	30	100	300
UP TO	30	100	300	1000	
TOL	±0.2	±0.3	±0.5	±0.8	

ANGLES ± 1/2°

PREPARED: K.SP, 17-06-2024
 CHECKED: ASP, 17-06-2024
 APPROVED: K.K.N, 17-06-2024

QUANTITY: 1 No
 MATERIAL: -
 WEIGHT IN kg: -
 FINISHED: -

ALTERATIONS: -

SIGN/DATE: -

DCR NO: -
 ZONE: -

NAME PLATE DETAILS (S12615:2018)

Marking	CE
Frame	LE 63
Duty	S1
Class of Insulation	F
Frequency, Hz	50±5%
Pole	2
Connection	STAR
Output in kW	0.18
Voltage in Volts	415±10%
F.L.Current in Amps	1
Speed in RPM	2750
% Efficiency	69.7(IE3)
Brg.(DE)	6202 2RS C3
Brg.(NDE)	6202 2RS C3
Power Factor	0.64
Protection	IP55

MODEL: LE 63
 DRG.No: LEH06325002

REVISION: 00

COMBATORRE - 641 004

G.A DRAWING
 0.25KW, 2 POLE, IE3

LAKSHMI ELECTRICAL DRIVES PRIVATE LIMITED

